

All-in-one Car Jump Starter - JS-632



Jump start



3C digital
products charge



SOS/Strobe/Lighting



High-precision Cylinder, High-power Motor, High Pressure up to 150PSI, Fast inflation, high air pressure.

Supports high air pressure required for cars, SUVs, bicycles, etc.



PD 100W Bidirectional Fast Charging

Support charging of digital products




2W LED lighting

Three modes: Lighting, Strobe, SOS



Smart Digital Screen

Static air pressure value updated in real time, Automatic filling and stopping Air pressure sensing accuracy ± 2 PSI.





Cars

SUV

Motorcycle

Boat



Start the car instantly

12V

3400A
Peak current

ALL
Gasoline car

4.0L
Diesel car

Product Layout



LED flash light

Aerated

5V/2.4A output port

USB-C PD 100W input port

12V jump start



LED switch

Switch

Pressure increase or decrease

Setting button

Blower function

LED display

Product Parameter

Dimension:	290.5*164.9*81mm
Weight:	2.25kg
Battery Capacity:	27000mAh(99.9Wh)
Output:	USB-A 5V2.4A;USB-C PD 100W 12V jump starter
Input:	USB-C PD100W
Full Charging Time:	About 1.2 hours
Peak Current:	3400A
Operating Temperature:	-20℃~60℃
Max Inflation Pressure:	150PSI

Accessories



Smart Jumper Cable



USB Cable
(USB to USB-C)



Nozzle Kits



Air Hose



Kraft box

Operation Steps



Step 1

Connect the clamp with the jump starter via the blue port



Step 2

Connect red clamp to the positive (+) battery terminal,
black clamp to the negative (-) battery terminal



Step 3

Start the vehicle



Step 4

Take the clamps off within 30 seconds
after finishing starting

Safety Design Ten Protections



Short-circuit protection



Over-temperature protection



Over-current protection



Over-discharge protection



Over-charge protection



Reverse polarity protection



Over-voltage protection



Reverse-charge protection



AI software protection



Ultimate low electricity consumption protection



Obtained Multiple Certification

FCC CE RoHS BSCI UL

National-level Manufacturing Single-Item Champion

Specialization Special and new "little giant" enterprise

National high tech enterprise

National Intellectual Property Advantage Unit

797 global patent in total

Global leader supplier of jump starter

About 30 million pcs sales volume for serving clients in 6 continents

FCC, CE, CQC, UL, RoHS certificates

IF Award, Sema Global Media award, MUSE Design Awards, China Excellent Patent Award

Shenzhen CarKu Technology Co., Ltd

Add: Building A, Baoke Creative Park, Lianrun Rd, Longhua District, Shenzhen, China.

Email: info@carku.com

Web: www.car-ku.com

Tel: 4000 222 942

卡儿酷
Carku Science