

All-in-one Car Jump Starter—JS-507

Jump starter + Air pump



Jump start



Cordless tire inflator
(150PSI)



3C digital
products charge



SOS/Strobe/Lighting



High-precision Cylinder, High-power Motor, High Pressure up to **150PSI**


Fast inflation, high air pressure

Supports high air pressure required for cars, SUV, bicycles, etc



5V/2.1A output port

Support charging of digital products



LED lighting

Three modes: Lighting, Strobe, SOS



Emergency jump starter

Cars

SUV

Motorcycle

Boat

»»»

12V

1500A

Peak Current

5.0L

Gasoline Cars

2.0L

Diesel

20 times

3.0L Gasoline Cars

Product Layout

Power switch/pump start button

Pressure increase or decrease

Setting button

Light switch

LCD display

Aerated

12V jump start

5V/2.1A output port

LED flash light

USB-C 5V/2A input port



Product Parameter

Dimension:	122.2x164.2x46mm
Weight:	670g
Battery Capacity:	10000mAh(37Wh)
Output:	5V/2.1A 12V jump starter
Input:	USB-C 5V/2A
Max Inflation Pressure:	150PSI
Full Charging Time:	About 4.4 hours
Peak Current:	1500A
Operating Temperature:	-20°C~60°C(-4°F~140°F)

Packing and Accessories



Kraft box



Smart Jumper Cable



Air hose



Nozzle kits



USB Cable
(USB to USB-C)

Operation Steps



Step 1

Connect the clamp with the jump starter via the blue port



Step 2

Connect red clamp to the positive (+) battery terminal,
black clamp to the negative (-) battery terminal



Step 3

Start the vehicle



Step 4

Take the clamps off within 30 seconds after finishing starting

Safety Design Ten Protections



Short-circuit protection



Over-temperature protection



Over-current protection



Over-discharge protection



Over-charge protection



Reverse polarity protection



Over-voltage protection



Reverse-charge protection



AI software protection



Ultimate low electricity consumption protection



Obtained Multiple Certification

FCC CE RoHS BSCI UL

National-level Manufacturing Single-Item Champion

Specialization Special and new "little giant" enterprise

National high tech enterprise

National Intellectual Property Advantage Unit

797 global patent in total

Global leader supplier of jump starter

About 30 million pcs sales volume for serving clients in 6 continents

FCC, CE, CQC, UL, RoHS certificates

IF Award, Sema Global Media award, MUSE Design Awards, China Excellent Patent Award

Shenzhen CarKu Technology Co., Ltd

Add: Building A, Baoke Creative Park, Lianrun Rd, Longhua District, Shenzhen, China.

Email: info@carku.com

Web: www.car-ku.com

Tel: 4000 222 942

卡儿酷
Carku Science & Technology